

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16221	workload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L2	1676194	performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L3	62179	(disk or disc or dasd or storage or array or RAID) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L4	2291	(interface or display) with L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L5	1174	(disk or disc or dasd or storage or array or RAID) with L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L6	91387	(disk or disc or dasd or storage or array or RAID) with L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L7	294	L5 same L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L8	4	L7 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12

L9	22	L7 same L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L10	26	(input\$4 or enter\$3) near2 ((read or write) adj (characteristic or performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L11	0	(input\$4 or enter\$3) near2 (random adj read adj hit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L12	8440	(input\$4 or enter\$3) near2 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L13	0	L4 same L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:12
L14	39	L4 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L15	274	(input\$4 or enter\$3) near2 workload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L16	1	L15 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L17	309448	(operation or access or request) adj3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13

L18	4009	(input\$4 or enter\$3) near2 L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L19	2	L18 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L20	26	(input\$4 or enter\$3) near2 ((read or write) adj (characteristic or performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L21	36982	(configur\$3 or configuration) near3 (RAID or array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L22	3499	(interface or display) same L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L23	0	L20 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:13
L24	79	L12 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L25	0	L15 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L26	1769	(configur\$3 or configuration) near3 RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14

L27	30320	display near2 (configuration or configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L28	3	L26 same L27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L29	18	raid with (maximize adj (performance or availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L30	18876	IOS2 adj (second or unit or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L31	29920	("I/O" or "input/output" or (input adj output) or "IO's") adj (second or unit or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L32	24938	raid or (redundant adj array adj inexpensive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L33	957	L32 near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L34	2	L33 same (L30 or L31)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L35	386877	san or (storage adj area adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14

L36	244	L35 near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L37	2	L36 same (L30 or L31)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:14
L38	16143	IOS2 adj (second or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L39	11097	("I/O" or "input/output" or (input adj output) or "IO's") adj (second or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L40	1377	("I/O" or "input/output" or (input adj output) or "IO's") adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L41	1698	IOS2 adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L42	632	("I/O" or "input/output" or (input adj output) or "IO's" or IOS2) adj traffic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L43	26953	L38 or L39 or L40 or L41 or L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L44	294	L43 near2 (select\$3 or choos\$3 or chose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15

L45	8	L44 same (user or administrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L46	4	performance adj comfort adj zone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L47	1284	random adj (read\$3 or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L48	2468	sequential adj (read or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15
L49	0	(L33 or L36) same (L47 or L48)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/10/18 07:15